

PTFE grease (G007)

This is another grease of the Ambro-Sol lubricant line who was born from a chemical plastic mixture, it's smooth on touch and it resists at high temperature (until 250°). It is used in iron and steel industry, in ceramic industry, in glass industry and in brick industry.



Quantity	400 ml
Barcode	EAN 13: 8034108890067
Confection	12 pz

PTFE GREASE - TEFLON® – Composed of special high-boiling temperature fluids. It leaves no residue. It acts perfectly even at temperatures higher than +250°C. Low friction coefficient, high chemical inertia, excellent resistance to high loads. Used on bearings, bushes, conveyor rollers in the steel, glass, ceramic and brick industries.

Technical Specifications:

Aspect	Cylinder containing under pressure fluid
Color	Light brown/Orange
Odour	Characteristic of solvent
Relative density	a 20°C 0,69 ÷ 0,73 g/ml
Flash point	Low.0° C
Pressure at 20°C	4/6 bar
Consistency	NLGI EP2
Penetration at 25°C	265 - 295 mm/10
Drip point	> 270°C
Application temperature	-40°C - + 250°C

HOW TO USE: shake and spray directly on the surface from a distance of 15 – 25 cm. The product could be sprayed also whit straw (posted in a multi straw cap).

MODALITY OF STORAGE

Before using: stock the product in a dry location and don't stock it with a temperature under zero degrees and over 45°C, after the use, keep containers closed. In the original package, the product can be conserved for 24 months.

After the first usage: conserve in a fresh and dry location, away from hot spring. Keep out of reach of children.

Hazards identification:

H222	Extremely flammable aerosol.
H229	Pressurized container: may burst if heated.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects

This information, even if reliable, must be considered only approximate. The usage don't imply our responsibility, included the violation of many license. Before using, the users have to verify the suitability of the product for the specific use.