GNUCCHIE	CO- SPRAY S.R.L.	Revision nr. 5 Dated 22/02/2016
		Printed on 24/02/2016
OL112 – Wa	shable cutting oil	Page n. 1/12
	Safety data sheet	
SECTION 1. Identification of the sub	stance/mixture and of the com	pany/undertaking
1.1. Product identifier		
Code:	OL112	
Product name Chemical name and synonym	Olio da taglio lavabile olio per filiere	
Intended use Iubricant  1.3. Details of the supplier of the safety data shee Name Full address	_	
Intended use Iubricant 1.3. Details of the supplier of the safety data shee Name Full address	t GNOCCHI ECO- SPRAY S.R.L. Via per Pavone del Mella sn 25020 Cigole (BS)	
Intended use Iubricant 1.3. Details of the supplier of the safety data shee Name Full address	t GNOCCHI ECO- SPRAY S.R.L. Via per Pavone del Mella sn 25020 Cigole (BS) Italia	
Intended use Iubricant  1.3. Details of the supplier of the safety data shee Name Full address District and Country	t GNOCCHI ECO- SPRAY S.R.L. Via per Pavone del Mella sn 25020 Cigole (BS) Italia Tel. +39 030 9959674	
<ul> <li>1.2. Relevant identified uses of the substance or r Intended use lubricant</li> <li>1.3. Details of the supplier of the safety data shee Name Full address District and Country</li> <li>e-mail address of the competent person responsible for the Safety Data Sheet</li> </ul>	t GNOCCHI ECO- SPRAY S.R.L. Via per Pavone del Mella sn 25020 Cigole (BS) Italia Tel. +39 030 9959674	
Intended use Iubricant  1.3. Details of the supplier of the safety data shee Name Full address District and Country  e-mail address of the competent person	t GNOCCHI ECO- SPRAY S.R.L. Via per Pavone del Mella sn 25020 Cigole (BS) Italia Tel. +39 030 9959674 Fax +39 030 959265	ia tel: +39 02 66101029
Intended use       Iubricant         1.3. Details of the supplier of the safety data shee         Name         Full address         District and Country         e-mail address of the competent person         responsible for the Safety Data Sheet         1.4. Emergency telephone number	t GNOCCHI ECO- SPRAY S.R.L. Via per Pavone del Mella sn 25020 Cigole (BS) Italia Tel. +39 030 9959674 Fax +39 030 959265 info@gnocchiecospray.com	ła tel: +39 02 66101029

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:		
Aerosol, category 1	H222	Extremely flammable aerosol.
	H229	Pressurised container: may burst if heated.
Aspiration hazard, category 1	H304	May be fatal if swallowed and enters airways.
Specific target organ toxicity - single exposure, category 3	H336	May cause drowsiness or dizziness.

#### 2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.



Signal	words:
--------	--------

Danger

OL112 – Washable cutting oil

Revision nr. 5

Page n. 2/12

Dated 22/02/2016

Printed on 24/02/2016

Hazard statements:

H222	Extremely flammable aerosol.
H229	Pressurised container: may burst if heated.
H336	May cause drowsiness or dizziness.

Precautionary statements:

P210 P211 P251 P301+P310 P304+P340 P403+P233 P410+P412	<ul> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source.</li> <li>Do not pierce or burn, even after use.</li> <li>IF SWALLOWED: immediately call a POISON CENTER / doctor /</li> <li>IF INHALED: remove person to fresh air and keep comfortable for breathing.</li> <li>Store in a well-ventilated place. Keep container tightly closed.</li> <li>Protect from sunlight. Do no expose to temperatures exceeding 50°C / 122°F.</li> </ul>
Contains:	NAPHTHA (PETROL.) HYDROTREATED HEAVY
Statements on the aspiration toxicity classification were not included in the label elements, based on section 1.3.3. of Annex I to CLP.	
2.3 Other hazards	

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

### **SECTION 3.** Composition/information on ingredients.

### 3.1. Substances.

Information not relevant.

#### 3.2. Mixtures.

Contains:

Identification.	Conc. %.	Classification 1272/2008 (CLP).		
NAPHTHA (PETROL.) HYDROTREATED HEAVY				
CAS. 64742-48-9	50 - 54	Flam. Liq. 3 H226, Asp. Tox. 1 H304, STOT SE 3 H336, Note P		
EC. 919-857-5				
INDEX. 649-327-00-6				
Reg. no. 01-2119463258-33-XXXX				
BUTANE				
CAS. 106-97-8	22,5 - 24	Flam. Gas 1 H220, Note C U		
EC. 203-448-7				
INDEX. 601-004-00-0				
PROPANE				

### OL112 – Washable cutting oil

Revision nr. 5 Dated 22/02/2016

Printed on 24/02/2016

Page n. 3/12

CAS. 74-98-6 EC. 200-827-9 INDEX. 601-003-00-5 22,5 - 24

Flam. Gas 1 H220, Note U

Note: Upper limit is not included into the range.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

### **SECTION 4. First aid measures.**

#### 4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

#### 4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

### **SECTION 5. Firefighting measures.**

#### 5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

#### 5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

#### 5.3. Advice for firefighters.

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Revision nr. 5

### OL112 – Washable cutting oil

Dated 22/02/2016 Printed on 24/02/2016

Page n. 4/12

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### **SECTION 6.** Accidental release measures.

#### 6.1. Personal precautions, protective equipment and emergency procedures.

Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. Send away individuals who are not suitably equipped. Wear protective gloves / protective clothing / eye protection / face protection.

#### 6.2. Environmental precautions.

Do not disperse in the environment.

#### 6.3. Methods and material for containment and cleaning up.

Use inert absorbent material to soak up leaked product. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

### **SECTION 7. Handling and storage.**

#### 7.1. Precautions for safe handling.

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

#### 7.2. Conditions for safe storage, including any incompatibilities.

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C/122°F, away from any combustion sources.

#### 7.3. Specific end use(s).

Information not available.

#### **SECTION 8. Exposure controls/personal protection.**

8.1. Control parameters.

Revision nr. 5

## OL112 – Washable cutting oil

Dated 22/02/2016

Printed on 24/02/2016 Page n. 5/12

Regulatory References:

DEU ESP	Deutschland España	MAK-und BAT-Werte-Liste 2012 INSHT - Límites de exposición profesional para agentes químicos en España 2015
FRA GRB POL	France United Kingdom Polska	JORF n°0109 du 10 mai 2012 page 8773 texte n° 102 EH40/2005 Workplace exposure limits ROZPORZADZENIE MINISTRA PRACY I POLITYKI SPOŁECZNEJ z dnia
	TLV-ACGIH	16 grudnia 2011r ACGIH 2014

NAPHTHA (PETROL.) HYDROTREATED HEAVY							
Threshold Limit Value.							
Туре	Country	TWA/8h		STEL/15min			
		mg/m3	ppm	mg/m3	ppm		
MAK	DEU	300	50	600	100		
NDS	POL	300		900			
PROPANE							
Threshold Limit Value.							
Туре	Country	TWA/8h		STEL/15min			
		mg/m3	ppm	mg/m3	ppm		
AGW	DEU	1800	1000	7200	4000		
MAK	DEU	1800	1000	7200	4000		
NDS	POL	1800					
TLV-ACGIH			1000				

### BUTANE

Threshold Limit Value.					
Туре	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
1.011/	5511	0.400	4000		1000
AGW	DEU	2400	1000	9600	4000
MAK	DEU	2400	1000	9600	4000
VLA	ESP		800		
VLEP	FRA	1900	800		
WEL	GRB	1450	600	1810	750
NDS	POL	1900		3000	
TLV-ACGIH				2377	1000

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

#### 8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION None required.

Revision nr. 5

### OL112 – Washable cutting oil

Dated 22/02/2016

Printed on 24/02/2016 Page n. 6/12

SKIN PROTECTION Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a type AX filter combined with a type P filter should be worn (see standard EN 14387).

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

#### ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

### **SECTION 9.** Physical and chemical properties.

#### 9.1. Information on basic physical and chemical properties.

Appearance Colour Odour Odour threshold. pH. Melting point / freezing point. Initial boiling point. Boiling range. Flash point. Evaporation Rate Flammability of solids and gases Lower inflammability limit. Upper inflammability limit.	aerosol yellowish characteristic of solvent Not available. Not available. Not available. Not applicable. Not available. Not available. Not available. Not available. Not available. Not available.
Flammability of solids and gases	Not available.
Upper inflammability limit. Lower explosive limit.	Not available. Not available. Not available
Upper explosive limit. Vapour pressure. Vapour density	Not available. Not available. Not available.
Relative density. Solubility Partition coefficient: n-octanol/water	Not available. Not available. Not available
Auto-ignition temperature. Decomposition temperature.	Not available. Not available. Not available.
Viscosity Explosive properties	Not available. Not available.
Oxidising properties 9.2. Other information.	Not available.

Molecular weight.	108,899
VOC (Directive 2010/75/EC) :	95,00 %
VOC (volatile carbon) :	79,30 %

### **SECTION 10. Stability and reactivity.**

10.1. Reactivity.

### OL112 – Washable cutting oil

Revision nr. 5

Dated 22/02/2016

Printed on 24/02/2016 Page n. 7/12

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

Avoid overheating.

10.5. Incompatible materials.

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

10.6. Hazardous decomposition products.

Information not available.

### **SECTION 11.** Toxicological information.

#### 11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product. The introduction of even small quantities of this liquid into the respiratory system in case of ingestion or vomit may cause bronchopneumonia and

pulmonary edema. This product contains highly volatile substances, which may cause serious depression of the central nervous system (CNS) and have negative effects,

This product contains highly volatile substances, which may cause serious depression of the central nervous system (CNS) and have negative effects, such as drowsiness, dizziness, slow reflexes, narcosis.

NAPHTHA (PETROL.) HYDROTREATED HEAVY LD50 (Oral).> 5000 mg/kg Rat LD50 (Dermal).> 2000 mg/kg Rabbit

### **SECTION 12. Ecological information.**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity.

# Revision nr. 5

# OL112 – Washable cutting oil

Dated 22/02/2016

Printed on 24/02/2016

NAPHTHA (PETROL.) HYDROTREATED HEAVY	
LC50 - for Fish.	8,2 mg/l/96h Pimephales promelas
EC50 - for Crustacea.	4,5 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants.	3,1 mg/l/72h Pseudokirchnerella subcapitata
12.2. Persistence and degradability	<i>į</i> .
BUTANE	
Solubility in water.	mg/l 0,1 - 100
Rapidly biodegradable.	
PROPANE	
Solubility in water.	mg/l 0,1 - 100
Rapidly biodegradable.	
NAPHTHA (PETROL.) HYDROTREATED HEAVY Rapidly biodegradable.	
12.3. Bioaccumulative potential.	
BUTANE	
Partition coefficient: n- octanol/water.	1,09
PROPANE	
Partition coefficient: n- octanol/water.	1,09
12.4. Mobility in soil.	
NAPHTHA (PETROL.) HYDROTREATED HEAVY Partition coefficient: soil/water.	1,78
12.5. Results of PBT and vPvB ass	essment.
On the basis of available data, the proc	duct does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

Revision nr. 5 Dated 22/02/2016

OL112 – Washable cutting oil

Printed on 24/02/2016

### Page n. 9/12

### **SECTION 13. Disposal considerations.**

#### 13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### **SECTION 14. Transport information.**

#### 14.1. UN number.

ADR / RID, IMDG, 1950 IATA:

#### 14.2. UN proper shipping name.

ADR / RID:	AEROSOLS, FLAMMABLE
IMDG:	AEROSOLS
IATA:	AEROSOLS, FLAMMABLE

#### 14.3. Transport hazard class(es).

ADR / RID:	Class: 2	Label: 2.1
IMDG:	Class: 2	Label: 2.1
ΙΑΤΑ:	Class: 2	Label: 2.1



#### 14.4. Packing group.

ADR / RID, IMDG, IATA:

#### 14.5. Environmental hazards.

ADR / RID:	NO
IMDG:	NO
IATA:	NO

#### 14.6. Special precautions for user.

ADR / RID:

HIN - Kemler: --

Special Provision: -

Limited Quantities: 1 L Tunnel restriction code: (D)

GNOCCHI ECO- SPRAY S.R.L.		Revision nr. 5	
		Dated 22/02/2016	
<u> </u>	OL112 – Washable cutting oil		Printed on 24/02/2016
	5		Page n. 10/12
IMDG:	EMS: F-D, S-U	Limited Quantities: 1	
IATA:	Cargo:	L Maximum quantity: 150	Packaging instructions:
	Pass.:	Kg Maximum quantity: 75	203 Packaging instructions:
	Special Instructions:	Kg A145, A167, A802	203
14.7. Transport in bulk acco	ording to Annex II of MARPOL73/78 and the IBC Cod	le.	
Information not relevant.			
SECTION 15. Regu	llatory information.		
15.1. Safety, health and e	nvironmental regulations/legislation specific for the	substance or mixture.	
<u>Seveso category.</u>	8		
Restrictions relating to the pro	oduct or contained substances pursuant to Annex XVII t	to EC Regulation 1907/2006.	
Product. Point.	40		
Substances in Candidate List	t (Art. 59 REACH).		
None.			
Substances subject to author	isarion (Annex XIV REACH).		
None.			
Substances subject to export	ation reporting pursuant to (EC) Reg. 649/2012:		
None.			
Substances subject to the Ro	otterdam Convention:		
None.			
Substances subject to the Sto	ockholm Convention:		
None.			
Healthcare controls. Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.			
15.2. Chemical safety ass	essment.		

GNOCCHI ECO- SPRAY S.R.L.	Revision nr. 5
	Dated 22/02/2016
OL112 – Washable cutting oil	Printed on 24/02/2016
	Page n. 11/12

3

No chemical safety assessment has been processed for the mixture and the substances it contains.

### **SECTION 16. Other information.**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Gas 1	Flammable gas, category 1
Aerosol 1	Aerosol, category 1
Aerosol 3	Aerosol, category 3
Flam. Liq. 3	Flammable liquid, category 3
Asp. Tox. 1	Aspiration hazard, category 1
STOT SE 3	Specific target organ toxicity - single exposure, category
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: may burst if heated.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- **OEL: Occupational Exposure Level**
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament

Revision nr. 5

### OL112 – Washable cutting oil

Dated 22/02/2016

Printed on 24/02/2016 Page n. 12/12

- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website
- Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified: 02 / 03 / 08 / 09 / 11 / 12 / 14.