



## Paint remover 750 ml (I262)

This paint remover is ideal for industrial use, for domestic use and for do-it-yourself. It can be used on different materials, it removes all type of paint. It leaves the treated part clean and without residuals.



Quantity	750 ml
Barcode	EAN 13: 8034108892580
Confection	12 pz

**PAINT REMOVER** – It quickly removes all types of paint from metal surfaces, wood and other materials such as glass, polyethylene, polypropylene. It sets the worked part for a new treatment leaving it cleans and frees of debris.

### Technical Specifications:

Aspect	Tin-plate jar
Colour	Transparent
Odour	Characteristic of solvent
Relative density	0,958 kg/l 25°C
Flash point	< 0° C
Initial boiling point	> 35°C
boiling range	+64 / +210 °C
Vapor Density	> 1
Stringiness	3000-4500 cP
Solubility	Water insoluble
Free from chlorinated solvents	Contains 1,3-DIOSSOLANO

**HOW TO USE:** Mix the product after the opening of the can. Apply a thick layer of paint remover with a hard brush or a spatula. Wait for the total penetration of the product then remove it all with a spatula or with a rag. High thixotropy also for application on vertical surfaces. Avoid the use of plastic materials and of hot surfaces or exposed to sunlight. In case of use on wood, since the support is Natural and variable, it is advisable to do an application test, in a small inconspicuous area to avoid side effects.

### MODALITY OF STORAGE

Before using: stock the product in a dry location and don't stock it with a temperature under 0° degrees and over 45°C, after the use, keep containers closed. In the original package, the product can be conserved for 24 months.

After the first usage: conserve in a fresh and dry location, away from hot spring. Keep out of reach of children.

### Hazards identification:

**H225** Highly flammable liquid and vapour.  
**H319** Causes serious eye irritation.

This information, even if reliable, must be considered only approximate. The usage don't imply our responsibility, included the violation of many license. Before using, the users have to verify the suitability of the product for the specific use.