

98% zinc (Z353)

We all know how much metallic surfaces are delicate. But with this product of Ambro-Sol “Galvanizing” spray, it won’t be a problem. 98% zinc is perfect to cover and protect metallic parts from oxidation.

98% ZINC – Cold galvanizer with high molecular weight, it chemically solidifies producing a long lasting metal coating. It protects all metal surfaces from oxidation. It forms an even resistant layer which can be painted or left as a final protection. It offers exceptional resistance to weathering in difficult conditions. It is ideal for retouching, for finishing and repairing galvanized parts.



Technical specifications:

Quantity	400ml
Confection	12 pz
Barcode	EAN 13 8034108890500
Aspect	Cylinder containing under pressure fluid
Physical state	Pigmented liquid in aerosol
Flash point	low. 0° C
Pressure	at 20°C 5,5 bar
Relative density	at 20°C 0,76 ÷ 0,80 g/ml
Propellant	GPL
Chemical nature	Synthetic resin with inhibiting pigment of corrosion based of zinc dust
Colour	Steel / Dark gray
Powder purity Zn	> 98%
Odour	Characteristic of solvent
Zinc percentage	Dry residue 70%
Resistance temperature	About 400°C
Cylinder yield	2 / 3 mq2
Drying times = 20°	Out dust: 10' Dry to touch: 20' Dry in depth: 6 hour

APPLICATION FIELDS:

Surfaces in metal as iron, aluminum, steel. Protection of ferrous metallic structures, pipelines, eaves, enclosures, job utensils etc.

HOW TO USE: Clean carefully the support to treat for eliminating encrusting and traces of rust through synthetic thinner. If it's necessary sanding it with abrasive's paper. To turn upside-down the cylinder and to shake it well until the marbles can move freely inside the cylinder, spray a couple of times and progress with the painting. To avoid dropping spray twice from a distance from the support of about 20-30cm. After the use spray for 2/3 seconds with the cylinder turned upside-down to prevent the dispenser to block.

MODALITY OF STORAGE

Before using: stock the product in a dry location and don't stock it with a temperature under 0°C degrees and over 45°C, after the use, keep containers closed. In the original package, the product can be conserved for 24 months.

After the first usage: conserve in a fresh and dry location, away from hot spring. Keep out of reach of children.

Hazards identification:

H222	Extremely flammable aerosol.
H229	Pressurized container: may burst if heated.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H410	Very toxic to aquatic life with long lasting effects.

This information, even if reliable, must be considered only approximate. The usage don't imply our responsibility, included the violation of many license. Before using, the users have to verify the suitability of the product for the specific use.